

# RESTRICTED USE PESTICIDE

Due to acute oral toxicity and very high toxicity to birds.

For retail sale to, and use only by Certified Applicators or persons under the direct supervision of a Certified Applicator, and only for those uses covered by the Certified Applicator's certification. Direct supervision for this product is defined as the certified applicator being physically present during application, mixing, loading, repair and cleaning of application equipment. Commercial certified applicators must also ensure that all persons involved in these activities are informed of the precautionary statements.

## SPECIAL INSTRUCTIONS FOR RESTRICTED USE PESTICIDE RETAILERS:

In addition to any other required records, restricted use pesticide retailers must record at the time of sale the unique container identification number on this label or container and the identity of the purchaser of the container.

# CHEMINOVA METHYL 4 EC INSECTICIDE

Emulsifiable Concentrate - An Agricultural Insecticide  
**NOT FOR USE OR STORAGE IN OR AROUND HOMES**

### ACTIVE INGREDIENT:

\*O,O - Dimethyl O-p-nitrophenyl phosphorothioate ..... 43.8%  
Related Compound ..... 1.7%

**INERT INGREDIENTS:** ..... 54.5%

**TOTAL:** ..... 100.0%

\*Methyl Parathion. This product contains 4 pounds of methyl parathion per gallon. Contains petroleum distillates.

**KEEP OUT OF REACH OF CHILDREN**

**DANGER  
PELIGRO**



**POISON  
VENENO**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.  
(If you do not understand the label, find someone to explain it to you in detail.)

### FIRST AID

This product contains an organophosphate and is a cholinesterase inhibitor.

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to methyl parathion and describe his condition. After first aid is given and if a doctor can not come, take the victim to clinic or hospital.

**IF BREATHING HAS STOPPED:** Start artificial respiration immediately and maintain until doctor sees victim.

**IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

**IF SWALLOWED:** Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person.

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-866-303-6950 for emergency medical treatment information.

### NOTE TO PHYSICIAN

Antidote - administer atropine sulfate in large doses. TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Methyl Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS. Contains petroleum distillates - vomiting may cause aspiration pneumonia.

**SPECIAL NOTICE TO USERS:** It is unlawful to use this product after December 31, 2013. This container and any contents remaining after December 31, 2013 shall be disposed of in accordance with State and Federal Law.

**IN CASE OF A MEDICAL EMERGENCY INVOLVING THIS PRODUCT, CALL TOLL FREE, DAY OR NIGHT 1-866-303-6950**

SEE BOOKLET FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND USE DIRECTIONS.

EPA Reg. No. 67760-43

EPA EST NO. 39578-TX-1

Manufactured for:

Cheminova, Inc.

P.O. Box 110566, One Park Drive, Suite 150

Research Triangle Park, NC 27709

www.cheminova.us.com

 **CHEMINOVA**  
HELPING YOU GROW

© Registered Trademark of Cheminova

5/08

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

### DANGER

**CAN KILL YOU IF SWALLOWED** - This product can kill you if swallowed even in small amounts; spray mist may be fatal if swallowed.

**CAN KILL YOU BY SKIN CONTACT** - This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).

**CAN KILL YOU IF BREATHED** - This product can kill you if vapor or spray mist are breathed.

Causes substantial but temporary eye injury. Do not get in eyes, on skin or on clothing.

**POISON SIGNS (Symptoms):** Methyl Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Exposed persons must receive prompt medical treatment or they may die. Some of the signs and symptoms of poisoning are:

Headache	Labored Breathing	Nausea
Nervousness	Vomiting	Sweating
Cramps	Watering of Eyes	Weakness
Drooling or Frothing of Mouth and Nose	Blurred Vision	Muscle Spasms and Coma
	Pin-point Pupils	Tightness in Chest

### WORKER SAFETY RULES

The National Pesticide Information Center is available for recommendations regarding poisoning management, emergency treatment and other information regarding toxicity of methyl parathion. The toll free number for the National Pesticide Information Center is 1-800-858-7378.

If handled indoors, provide mechanical exhaust ventilation. Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. See **FIRST AID** section.

### PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are barrier laminate or Viton  $\geq 14$  mils. If you want more options, follow instructions for category F on an EPA chemical resistance category selection chart.

Mixers, loaders, and applicators using engineering controls must wear:

- Long-sleeved shirt and long pants
- Shoes plus socks

In addition, mixers and loaders must wear chemical-resistant gloves and a chemical resistant apron.

See **ENGINEERING CONTROLS** for additional requirements.

Handlers performing tasks, such as spill clean-up, for which engineering controls are not feasible must wear:

- Coveralls over long-sleeved shirt and long pants
- Chemical-resistant gloves
- Chemical-resistant footwear plus socks
- Protective eyewear
- Chemical-resistant headgear if overhead exposure
- Chemical-resistant apron, if exposed to the concentrate
- A respirator with an organic-vapor removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G), or a NIOSH-approved respirator with an organic vapor (OV) cartridge or canister with any R, P, or HE prefilter.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

### ENGINEERING CONTROLS

Mixers and loaders must use a closed system that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4)], for dermal protection and must:

- wear the personal protective equipment required above for mixers/loaders,
- wear protective eyewear if the system operates under pressure, and,
- be provided, must have immediately available, and must use in an emergency, such as a broken package, spill, or equipment breakdown the following: coveralls and chemical-resistant footwear and a respirator specified in the PPE section above.

Use of human flaggers is prohibited.

Applicators must use an enclosed cab that meets the definition in the Worker Protection Standard for Agricultural Pesticides [40 CFR 170.240(d)(5)] for dermal protection. In addition, such applicators must:

- wear the personal protective equipment required above,
- either wear the type of respirator specified in the PPE section of this labeling or use an enclosed cab that is declared in writing by the manufacturer or by a government agency to provide at least as much respiratory protection as the type of respirator specified in the PPE section of this labeling,
- be provided, must have immediately available, and must use in an emergency when they must exit the cab in the treated area: coveralls, chemical-resistant gloves, chemical-resistant footwear, a respirator specified in the PPE section above, and chemical-resistant headgear, if overhead exposure,

- take off any PPE that was worn in the treated area before reentering the cab, and,
- store all such PPE in a chemical-resistant container, such as a plastic bag, to prevent contamination of the inside of the cab.

Pilots must use an enclosed cockpit that meets the requirements listed in the Worker Protection Standard for Agricultural Pesticides [40 CFR 170.240(d)(6)].

### User Safety Recommendations:

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

### USE OF HUMAN FLAGGERS ARE PROHIBITED.

### ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to birds and mammals. Runoff may be hazardous to aquatic organisms in neighboring areas. Do not mix, load or otherwise handle in areas prone to runoff or movement into aquatic environments. For terrestrial uses, do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high-water mark. Keep out of lakes, ponds, and streams. Do not contaminate water when disposing of equipment washwater or rinsate.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

### PHYSICAL OR CHEMICAL HAZARDS

### COMBUSTIBLE

DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME

### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. This product may not be reformulated or used under a State Special Local Need Registration for any uses not specified on this label. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation. **Application by Backpack Sprayer or Other Hand-Held Sprayer is Prohibited.**

### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow entry into treated areas during the restricted entry interval (REI). The REI for a specific crop is listed in the directions for use associated with that crop.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls worn over long-sleeved shirt and long pants,
- Chemical-resistant gloves made from any waterproof material,
- Chemical-resistant footwear plus socks,
- Chemical-resistant headgear if there is potential for overhead exposures.

Notify workers of the application by warning them orally and by posting warning signs at entrances to treated areas.

**In case of accidental exposure:** Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to methyl parathion and describe his condition. For further information, see the **FIRST AID** portion of this pesticide label.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**STORAGE:** Do not store below temperatures of 0°F. Store in original container only. Keep container tightly closed when not in use. Reduce stacking height where local conditions can affect package strength. Do not store under conditions which might adversely affect the container or its ability to function properly. Personnel should use clothing and equipment listed under **PRECAUTIONARY STATEMENTS** when handling open containers.

**SPILLED MATERIAL:** Block or dike to prevent spreading of spill. Cover with absorbent material such as lime, clay or sawdust. Scoop and sweep into a disposable container. Wash area with strong lye solution, absorb and place into a disposable container.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Returnable/Refillable Sealed Container: Do not break seals or add any material to the container. Do not rinse container or empty any residue from container. This container must be returned intact after use to the point of purchase.

## DIRECTIONS

Be sure to read the precautionary statements before using. This product is designed for application after dilution with water and for use by trained operators using airplane or power ground equipment. The hazards and precautions for handling the product in this container are equally applicable to it after dilution with water for spray application.

### REMOVAL OF PRODUCT FROM CONTAINER

This container is fitted with the MICRO MATIC "DV" liquid transfer valve system. To remove product, use the MICRO MATIC coupler attachment, which is available from the seller of this container. The directions below must be followed.

#### To Connect Coupler:

- Attach pump hose to chemical pump.
- Attach pump hose to coupler.
- With coupler handle in disengaged position, insert coupler straight down into the drum valve, ensuring that the pins on the coupler align with the slots on the valve.
- Turn coupler handle clockwise a quarter turn, until it locks into place.
- Push down coupler handle to engage, ensuring that the lock bar clicks into place.

#### To Disconnect Coupler:

- Press down on coupler and disconnect the lock bar. Allow coupler handle to raise to its disengaged position.
- Turn coupler handle counter clockwise a quarter turn. Lift coupler straight up.

If you have any questions or need assistance, please call your distributor or 1-800-548-6113.

Add the concentrate to the spray tank while filling with water, and mix thoroughly either by means of a tank agitator or pump by-pass. For best results, thoroughly cover all surfaces to be treated with spray. Rates of application given below should not be exceeded. Never apply later than indicated to assure residue levels at harvest are below tolerance established by the Environmental Protection Agency.

Consult the State Agricultural Extension Service or Experiment Station for specific recommendations regarding application, dosage and timing of spray. For application by ground equipment, add the desired amount of concentrate to sufficient water to apply at least 3 gallons of water per acre. For application by aircraft, add the amount of concentrate desired per acre to 1 to 3 gallons of water consistent with crop growth and good coverage.

Do not use undiluted form.

Do not apply this product through any type of irrigation system.

CEREALS			
Crop	Pests Controlled	Use Rate (PT / Acre)	Pre-Harvest Interval and Comments
Barley, oats, rye, wheat	Barley thrips	1/2 - 3/4	Do not apply within 15 days of harvest.
	Aphids, black grass bugs, stink bugs, winter grain mites	1/2 - 1 1/2	The REI is 4 days.
	Climbing cutworms, grasshoppers	3/4 - 1	Do not apply more than 0.75 lb. ai/A per application. Do not apply more than 1.5 lbs ai/A per year. Do not make more than 2 applications per year.
	Armyworms, leafhoppers	1 1/2	
	Chinch bugs, false chinch bugs, say's plant bugs	1 1/2	
	Western wheat mites, brown wheat mites, grasshoppers	1	
Corn – field, pop	Armyworms, climbing cutworms, corn leaf aphids, corn rootworm adults, fall armyworms, stink bugs	1/2	Do not apply within 12 days of harvest. Do not apply during the pollen shed period.
	Grasshoppers	1	The REI for sweet corn, field corn and popcorn is 3 days.
Corn - Sweet	Silk fly	1	Do not apply more than 0.5 lb. ai/A per application. Do not apply more than 1.0 lb. ai/A per year. Do not make more than 2 applications per year. Sweet corn – For use to control silk fly only.
Rice	Rice stink bugs	1 - 1/2	Do not apply within 15 days of harvest or within 14 days before or after a propanil application. Shrimp, crabs, and crayfish may be killed. Do not apply where these are important resources.
	Grasshoppers	1	Do not apply more than 0.75 lb. ai/A per application. Do not apply more than 1.5 lb. ai/A per year. Do not make more than 2 applications per year. The REI is 4 days.

FIELD AND FORAGE CROPS			
Crop	Pests Controlled	Use Rate (PT / Acre)	Pre-Harvest Interval and Comments
Alfalfa	Alfalfa weevil larvae, aphids (including spotted alfalfa aphids), climbing cutworms, grasshoppers	1/2 - 1	Do not treat within 15 days of harvest, cutting or grazing. In Nevada, do not use more than 3/4 pints per acre. Do not apply to alfalfa if the crop or weeds in the treatment area are in bloom.
	Alfalfa caterpillars, alfalfa adult weevils, armyworms, clover leaf weevils, webworms	1	The REI is 4 days.
	Egyptian alfalfa weevils, leafhoppers, lygus bugs, spider mites	1 - 2	Do not apply more than 1.0 lb. ai/A per application. Do not apply more than 6.0 lbs. ai/A per year. Do not make more than 2 applications per cutting or 6 applications per year.
Cotton	Thrips	1/4 - 1/2	Applications should be made at 4 to 5 day intervals until control is obtained.
	Cotton leafworms, grasshoppers, fall armyworms, boll weevils, aphids, garden webworms	1/2 – 1 1/2	The PHI is 7 days.
	False chinch bugs	1 1/2	The REI is 4 days.
	Cutworms	1 – 1 1/2	Do not apply more than 0.75 lb. ai/A per application. Do not apply more than 3.75 lbs. ai/A per year. Do not make more than 5 applications per year.
	Bollworm, salt-marsh caterpillars, armyworms, cotton leaf perforators, stink bugs	1 1/2	
Note: In Texas cotton only, may be applied ultra-low volume (ULV) diluted in 1 quart of refined vegetable oil (such as cottonseed). Apply aerially with aircraft outfitted with a delivery system designed to apply droplets with a VMD of 120 to 220 microns. When using conventional hydraulic nozzle systems, the nozzles should be oriented 90 degrees to the laminar airflow. Swath width should not exceed wing span plus 10%.			
Grass (Forage)	Range caterpillars	1	Do not apply within 15 days of harvest or grazing.
	Armyworms, crested wheat bugs, false chinch bugs, grasshoppers, leafhoppers	1 1/2	The REI is 4 days.
Soybeans	Climbing cutworms, three cornered alfalfa hoppers, garden webworms, aphids, blister beetles, Mexican bean beetles, stink bugs, two-spotted mites, velvet bean caterpillars	3/4 – 1	Do not apply more than 0.75 lb. ai/A per application. Do not apply more than 3.0 lbs. ai/A per year. Do not make more than 2 applications per cutting or 4 applications per year.
			The REI is 4 days.
	Bollworms, fall armyworms, green cloverworms	1	Do not apply more than 0.5 lb. ai/A per application. Do not apply more than 1.0 lb. ai/A per year. Do not make more than 2 applications per year.

OIL SEED CROPS			
Crop	Pests Controlled	Use Rate (PT / Acre)	Pre-Harvest Interval and Comments
Sunflowers	Sunflower moths, sunflower maggots, sunflower seed weevils	2	Do not feed seeds to birds. Do not apply within 30 days of harvest. The REI is 4 days. Do not apply more than 1.0 lb. ai/A per application. Do not apply more than 2.0 lbs. ai/A per year. Do not make more than 2 applications per year.
<b>Rapeseed / Canola</b> Do not apply within 28 days of harvest. Do not graze treated fields or feed treated forage or threshings to livestock. Apply by ground or air in sufficient water for coverage (minimum of 3 gallons per acre by air). Do not apply more than two applications per season. The REI is 4 days. Do not apply more than 0.5 lb. ai/A per application. Do not apply more than 1.0 lb. ai/A per year. Do not make more than 2 applications per year. To protect pollinators apply only in the evening or early mornings (this includes a period from 3 hours before sunset until 3 hours after sunrise of the following day) NOTE - In OREGON - apply product only in the evening (this includes a period from 3 hours before sunset until midnight of the same day). In WASHINGTON: This product cannot be applied to blossoming canola except under the following conditions: 1.) The field to be treated is at the end of the blossom period with no more than 10% bloom remaining. 2.) The application may only be made in the evening from three hours before sunset to midnight, and only if bees are not foraging in the field to be treated at the time of application and are not expected to be foraging in the treated field for the remainder of that day.			
Rapeseed/Canola	Cabbage seedpod weevils	1	Make first application when two or more insects can be found per plant on young pods
	Flea beetles, cabbage aphids	1	Treat in early season when significant evidence of shot holing by the adults becomes evident on the seedlings.
	Diamondback moth larvae	1	Treat about mid-growing season when populations reach damaging levels and there is evidence of appreciable feeding beginning on the flowers and / or pods.
VEGETABLES			
Crop	Pests Controlled	Use Rate (PT / Acre)	Pre-Harvest Interval and Comments
Onions	Thrips	1	Do not apply within 15 days of harvest. The REI is 6 days. Do not apply more than 0.5 lb. ai/A per application. Do not apply more than 1.0 lb. ai/A per year. Do not make more than 2 applications per year.
White Potato	Aphids, armyworms, false chinch bugs, flea beetles, leafhoppers, mites, shield bugs	1 1/2	Do not apply within 6 days of harvest. The REI is 4 days. Do not apply more than 0.75 lb. ai/A per application. Do not apply more than 2.25 lbs. ai/A per year. Do not make more than 3 applications per year.

A variety of factors including weather conditions, (e.g., wind direction, wind speed, temperature, relative humidity) and method of applications (e.g., ground, aerial, airblast, chemigation) can influence pesticide drift. The applicator and grower must evaluate all factors and make appropriate adjustments when applying this product.

- All aerial and ground application equipment must be properly maintained and calibrated using water as carrier. Do not apply this product as an ultralow (ULV) spray, or in any carrier other than water.
- Use the largest droplet size consistent with good pest control. Small droplets are more prone to spray drift and can be minimized by appropriate nozzle selection, by orienting nozzles away from the air stream as much as possible, and by avoiding excessive spray boom pressure.
- Do not apply at wind speeds greater than 10 mph at the application site.
- Apply as close to target plants as practical to obtain a good spray pattern for adequate coverage.
- For aerial applications, do not apply at heights greater than 10 feet (consistent with flight safety).
- For aerial applications, the spray boom should be mounted on the aircraft so as to minimize drift caused by wind tip vortices. The minimum boom length should be used and must not exceed 75% of wind span or rotor diameter.
- For ground applications, do not apply at heights greater than 4 feet.

**NOTICE:** Because Cheminova has no control over storage, handling and conditions of use, which are of critical importance, Cheminova makes no representation or warranty, either expressed or implied, for results or residues greater than any tolerance which may be established by appropriate governmental agencies, due to misuse, improper handling or storage of this material. Nor does Cheminova assume responsibility for injury to persons, crops, animals, soil or property arising out of misuse, improper handling or storage of this material.

**ATTENTION:** Do not use in any manner other than recommended on this label. To avoid excessive residues of methyl parathion on food or forage crops, always observe the statements found under **DIRECTIONS FOR USE** limiting the time before harvest when methyl parathion may be applied.

## WARRANTY DISCLAIMER

Cheminova warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, CHEMINOVA MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

## INHERENT RISKS OF USE

It is impossible to eliminate all risks associated with use of this product. Crop injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including conditions noted on the label, such as unfavorable temperatures, soil conditions, etc.), abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes), presence of other materials, the manner of application, or other factors, all of which are beyond the control of Cheminova or the Seller. All such risks shall be assumed by Buyer and User. Buyer and User agree to hold Cheminova and the Seller harmless for any claims related to such factors.

## LIMITATION OF REMEDIES

To the extent consistent with applicable law, the exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories), shall be limited to one of the following, at Cheminova's election:

- (1) Refund of purchase price paid by buyer or user for product bought, or
- (2) Replacement of amount of product used.

To the extent consistent with applicable law, Cheminova shall not be liable for consequential, incidental, or special damages or losses in any matter.

The terms of the Warranty Disclaimer above and this Limitation of Remedies cannot be varied by any written or verbal statements or agreements. No employee or sales agent of Cheminova or the Seller is authorized to vary or exceed the terms of the Warranty Disclaimer or this Limitation of Remedies in any manner.

1/D09/0